



Item #	Chart #	A	THREAD	Weight
MCP01159	-1	0.165	#4-40	0.004 lb
MCP01160	-2	0.300	#10-32	-
MCP01161	-3	0.165	M3x0.5	0.004 lb
MCP02097	-4	0.175	M5x0.8	0.004 lb

△

△

MATERIAL:
6061 - T6

HEAT TREATMENT - FINISH:

REVISIONS: (Refer to dwg # revision sheet)

△ 12-15-08

△ 11-30-09

LOAD PLATE FOR LOW CAPACITY

STANDARD NOTES: (Unless Otherwise Specified)

- ALL DIMENSIONS ARE IN INCHES
- DRAWING INTERPRETATION DIMS. PER ASME-Y14.5M
- SURFACE FINISH $\sqrt{32}$ OR BETTER
- REMOVE BURRS AND BREAK SHARP EDGES .005 - .015
- THREADS PER HANDBOOK H-28
- DIMENSIONS ARE SHOWN AFTER PLATING
- CRITICAL DIMENSION \leftarrow

ANGLE:
 $\pm 1/2^\circ$

CHAMFER:
 $\pm 5^\circ$

TOLERANCE:
.X $\pm 0.1"$
.XX $\pm 0.01"$
.XXX $\pm 0.005"$
.XXXX $\pm 0.001"$

3rd ANGLE PROJ.



This drawing is submitted solely for the information and exclusive use of the original addressee. It is not to be divulged in whole or in part, by any firm or individual without written permission from:

FUTEK
ADVANCED SENSOR TECHNOLOGY, INC.

10 THOMAS
IRVINE, CA 92618 USA
Phone: (949) 465-0900
Fax: (949) 465-0905

MODEL: **ACCESSORY**

DWG No.: **FM1380-B**

DRAWN BY: R. Walker

ITEM #: **SEE CHART**

APPROVED BY: J. Vargas

DATE: **July. 01, 2003**